

To: Elovitz, Michael[Elovitz.Michael@epa.gov]; Gray, Wendy[Gray.Wendy@epa.gov]; McFadden, Angela[McFadden.Angela@epa.gov]
From: Kleiner, Eric
Sent: Tue 2/18/2014 8:59:43 PM
Subject: RE: HT-09 sample cooler - Can you resample?

I think Mike is right in that the shipping cost is minor (10%?) but if they want to volunteer to pay for it, just put their own shipping label on it, then they can go ahead and do that. Can't hurt the budget.

From: Elovitz, Michael
Sent: Tuesday, February 18, 2014 3:53 PM
To: Gray, Wendy; Kleiner, Eric; McFadden, Angela
Subject: RE: HT-09 sample cooler - Can you resample?

I don't think shipping (cost) is an issue. I think it is a minor cost of the \$1000 per site

From: Gray, Wendy
Sent: Tuesday, February 18, 2014 3:51 PM
To: Elovitz, Michael; Kleiner, Eric; McFadden, Angela
Subject: FW: HT-09 sample cooler - Can you resample?

HT wants to resample, and has offered to pay for shipment.

Can/should we take her up on her offer?

From: Ex. 6 - Personal Privacy @amwater.com]
Sent: Tuesday, February 18, 2014 3:45 PM
To: Gray, Wendy
Subject: Re: HT-09 sample cooler - Can you resample?

See response below....

Ex. 6 - Personal Privacy
Supervisor, Water Quality and Environmental Compliance
Western Division

West Virginia American Water
4002 Ohio River Road
Huntington, WV 25702
Phone: 304.525.8193
Cell: 304.654.1211
Fax: 304.525.3495

Ex. 6 - Personal Privacy [com](#)

"Life can only be understood backward, but it can only be lived forward" -Soren Kierkegaard

-----"Gray, Wendy" <Gray.Wendy@epa.gov> wrote: -----

To: **Ex. 6 - Personal Privacy** <Ex.6-Privacy@amwater.com>
From: "Gray, Wendy" <Gray.Wendy@epa.gov>
Date: 02/18/2014 03:14PM
Subject: HT-09 sample cooler - Can you resample?

Ex. 6 - Personal Privacy

I am sending this email (and left a voice message on your cell as well), that unfortunately the cooler containing all TTHM samples (Fort Meade lab) was not logged in on Friday due to inclement weather.

Two questions:

1. Would be able to resample the event for us? (We are simultaneously looking into the potential cost impact for resampling.)We can resample, we can pay the shipping from here if you need.
2. When are you performing Stage 2 compliance samples for February 2014? (Would you be able to share Stage 2 results for Location 4 if partial analysis of last week's samples are performed)We did our Stage 2 with last weeks samples, so we could share. No problem

Thanks for letting us know ASAP, as we need to let the lab know whether to proceed with partial analysis.

Wendy Gray, P.E.
Environmental Engineer
US EPA Region III
Drinking Water Branch
1650 Arch Street (3WP21)
Philadelphia, PA 19103
Office: (215) 814-5673

Cell: (267) 216-6521

Fax: (215) 814-2302
Gray.Wendy@EPA.gov